

(01) Free energy of mixing, phase stability, and local composition in Lennard-Jones liquid mixtures.
K. Nakanishi, Susumu Okazaki, K. Ikari, T. Higuchi, and H. Tanaka,
J. Chem. Phys., **76**, 629-636 (1982). 91

(02) Thermodynamic properties of aqueous mixtures of hydrophobic compounds 2. Aminoethanol and its methyl derivatives.
H. Touhara, Susumu Okazaki, Fujio Okino, H. Tanaka, K. Ikari, and K. Nakanishi,
J. Chem. Thermodyn., **14**, 145-156 (1982). 43

(03) Constant temperature molecular dynamics calculation on Lennard-Jones fluid and its application to water.
H. Tanaka, K. Nakanishi, and N. Watanabe,
J. Chem. Phys., **78**, 2626-2634 (1983).36

(04) Molecular dynamics studies on the local composition in Lennard-Jones liquid mixtures and mixtures of nonspherical molecules.
K. Nakanishi and H. Tanaka,
Fluid Phase Equilibria, **13**, 371-380 (1983).14

(05) Molecular-dynamics studies of binary mixtures of Lennard-Jones fluids with differing component sizes.
Pawel Gierycz, H. Tanaka, and K. Nakanishi,
Fluid Phase Equilibria, **16**, 241-253 (1984).13

(06) Computer experiment on aqueous solution. IV. Molecular dynamics calculation on the hydration of urea in an infinitely dilute aqueous solution with a new urea-water pair potential.
H. Tanaka, H. Touhara, K. Nakanishi, and N. Watanabe,
J. Chem. Phys., **80**, 5170-5186 (1984).104

(07) Computer experiments on aqueous solution. VI. Potential energy function for tert-butyl alcohol dimer and molecular dynamics calculation of 3 mol % aqueous solution of tert-butyl alcohol.
H. Tanaka, K. Nakanishi, and H. Touhara,
J. Chem. Phys., **81**, 4065-4073 (1984).92

(08) Computer experiments on aqueous solution. VII. Potential energy function for urea dimer and molecular dynamics calculation of 8 mol % aqueous solution of urea.

H. Tanaka, K. Nakanishi, and H. Touhara,

J. Chem. Phys., **82**, 5184-5191 (1985). 57

(09) Magic numbers for water-ammonia binary clusters: Enhanced stability of ion clathrate structures.

H. Shinohara, U. Nagashima, H. Tanaka, and N. Nishi,

J. Chem. Phys., **83**, 4183-4192 (1985).69

(10) Enhanced stability of ion-clathrate structures for magic number water cluster.

U. Nagashima, Hisanori Shinohara, Nobuyuki Nishi, and H. Tanaka,

J. Chem. Phys., **84**, 209-214 (1986).96

(11) Integral equation and Monte Carlo study on hydrophobic effects: Size dependence of apolar solutes on solute-solute interactions and structures of water.

H. Tanaka,

J. Chem. Phys., **86**, 1512-1520 (1987).50

(12) Large local energy fluctuations in water.

H. Tanaka and I. Ohmine,

J. Chem. Phys., **87**, 6128-6139 (1987).115

(13) Large local energy fluctuations in water. II. Cooperative motions and fluctuations.

I. Ohmine, H. Tanaka, and Peter. G. Wolynes,

J. Chem. Phys., **89**, 5852-5860 (1988).160

(14) Potential energy surfaces for water dynamics: Reaction coordinates, transition states, and normal mode analyses.

H. Tanaka and I. Ohmine,

J. Chem. Phys., **91**, 6318-6327 (1989).76

(15) Potential energy surfaces for water dynamics. II. Vibrational mode excitations, mixing, and relaxations.

I. Ohmine and H. Tanaka,

J. Chem. Phys., **93**, 8138-8147 (1990).64

(16) Hydrophobic hydration of inert gases: Thermodynamic properties, inherent structures, and normal mode analysis.

H. Tanaka and K. Nakanishi,

J. Chem. Phys., **95**, 3719-3727 (1991).38

(17) Ab initio and Monte Carlo study of the structure and stability of $H_3^+(H_2)_n$ ($n=3-16$).

U. Nagashima, K. Morokuma, and H. Tanaka,

J. Phys. Chem., **96**, 4294-4300 (1992).22

(18) Ab initio MO calculations and experimental observations on the reactivities of elemental fluorine and chlorine with graphite in the presence of HF.

F. Okino, H. Tanaka, P. Lagassie, S. Suganuma, and H. Touhara,

J. Fluorine Chem., **57**, 45-52 (1992).0

(19) Structure of water-methanol binary mixtures: role of the water-water interaction.

H. Tanaka, John Walsh, and Keith E. Gubbins,

Mol. Phys., **76**, 1221-1233 (1992).21

(20) Structure and thermodynamic properties of water-methanol mixtures: Role of the water-water interaction.

H. Tanaka and Keith E. Gubbins,

J. Chem. Phys., **97**, 2626-2634 (1992).68

(21) Thermodynamic and structural properties of methanol-water mixtures: Experiment, theory, and molecular simulation.

C. A. Koh, H. Tanaka, J. M. Walsh, K. E. Gubbins, and J. A. Zollweg,

Fluid Phase Equilibria, **83**, 51-58 (1993).23

(22) A Study of conformational equilibria in chain molecules. I. Liquid n-butane.

H. Hayashi, H. Tanaka, and K. Nakanishi,

Mol. Simulation, **9**, 401-415 (1993).9

(23) Structure of aqueous solutions of amphiphilics: t-butyl alcohol and urea solutions.

H. Tanaka and K. Nakanishi,

Fluid Phase Equilibria, **83**, 77-84 (1993).10

(24) The stability of Xe and CF₄ clathrate hydrates. Vibrational frequency modulation and cage distortion.

H. Tanaka,

Chem. Phys. Lett., **202**, 345-349 (1993).14

(25) On the thermodynamic stability of clathrate hydrate. I.

H. Tanaka and K. Kiyohara,

J. Chem. Phys., **98**, 4098-4109 (1993).55

(26) The thermodynamic stability of clathrate hydrate. II. Simultaneous occupation of larger and smaller cages.

H. Tanaka and K. Kiyohara,

J. Chem. Phys., **98**, 8110-8118 (1993).48

(27) Acetonitrile pair formation in aqueous solution.

Masakazu Matsumoto, H. Tanaka and K. Nakanishi,

J. Chem. Phys., **99**, 6935-6940 (1993).20

(28) Fluctuation, relaxations, and hydration in liquid water: Hydrogen-bond rearrangement dynamics.

I. Ohmine and H. Tanaka,

Chem. Rev., **93**, 2545-2566 (1993).233

(29) On the Stability of clathrate hydrates encaging polar molecules: Contrast in the hydrogen bonds of methylamine and methanol hydrates.

K. Koga, H. Tanaka and K. Nakanishi,

Mol. Simulation, **12**, 241-252 (1994).2

(30) The stability of clathrate hydrates: Temperature dependence of dissociation pressure in Xe and Ar hydrate.

H. Tanaka and K. Nakanishi,

Mol. Simulation, **12**, 317-327 (1994).9

(31) The thermodynamic stability of clathrate hydrates: Encaging nonspherical propane molecules.

H. Tanaka,

Chem. Phys. Lett., **220**, 371-376 (1994).5

(32) The stability of polar guest-encaging clathrate hydrates.

K. Koga, H. Tanaka, and K. Nakanishi,
J. Chem. Phys., **101**, 3127-3134 (1994).9

(33) Molecular simulation of permeation of small penetrants through membranes. 1. Diffusion coefficients.

Y. Tamai, H. Tanaka, and K. Nakanishi,
Macromolecules, **27**, 4498-4508 (1994).83

(40) The thermodynamic stability of clathrate hydrate III: Accommodation of nonspherical propane and ethane molecules.

H. Tanaka,
J. Chem. Phys., **101**, 10833-10842 (1994).34

(34) Solubility in supercritical fluid mixtures with co-solvent: An integral equation approach.

H. Tanaka and K. Nakanishi,
Fluid Phase Equilibria, **102**, 107-120 (1994).8

(35) Can the van der Waals loop vanish?

R. Yamamoto, H. Tanaka, K. Nakanishi, and X. C. Zeng,
Chem. Phys. Lett., **231**, 401-406 (1994).5

(36) A novel approach to the stability of clathrate hydrates.

H. Tanaka,
Fluid Phase Equilibria, **104**, 331-340 (1995).4

(37) Molecular design of polymer membranes using molecular simulation technique.

Y. Tamai, H. Tanaka and K. Nakanishi,
Fluid Phase Equilibria, **104**, 363-374 (1995).20

(38) Molecular dynamics of flexible molecules: Torsional motions of n-butane and ethylene glycol.

H. Hayashi, H. Tanaka and K. Nakanishi,
Fluid Phase Equilibria, **104**, 421-430 (1995).7

(39) Molecular dynamics simulations of flexible molecules: Aqueous solutions of ethylene glycol.
Part 1. - Aqueous Solutions of Ethylene Glycol.

H. Hayashi, H. Tanaka, and K. Nakanishi,
J. Chem. Soc. Faraday Trans., **91**, 31-39 (1995).14

(40) Molecular simulation of permeation of small penetrants through membranes. 2. Solubility.

Y. Tamai, H. Tanaka, and K. Nakanishi,
Macromolecules, **28**, 2544-2554 (1995).56

(18) Thermodynamic stability of hydrates for ethane, ethylene and carbon dioxide.

B. Kvamme and H. Tanaka,
J. Phys. Chem., **99**, 7114-7119 (1995).30

(42) Integral equation and Monte Carlo simulation studies of clusters in infinitely dilute supercritical solutions.

H. Tanaka, J.-W. Shen, K. Nakanishi, and X. C. Zeng,
Chem. Phys. Lett., **239**, 168-172 (1995).19

(43) The stability and dynamics of clathrate hydrates.

H. Tanaka,
J. Mol. Liquid, **65/66**, 285-288 (1995). 4

(44) Potential surface analysis and low temperature dynamics of water.

H. Tanaka,
Mol. Simulation, **16**, 87-97 (1996).1

(45) Rearrangement of the hydrogen-bonded network of the clathrate hydrates encaging polar guest.

K. Koga, H. Tanaka, and K. Nakanishi,
Mol. Simulation, **16**, 151-165 (1996).0

(46) Molecular simulation of water in hydrogels.

Y. Tamai, H. Tanaka, and K. Nakanishi,
Mol. Simulation, **16**, 359-374 (1996).18

(47) Rearrangement dynamics of the hydrogen-bonded network of clathrate hydrates encaging polar guest.

K. Koga and H. Tanaka,

J. Chem. Phys., **104**, 263-272 (1996).16

(48) Structure and phase transitions of amorphous ices.

I. Okabe, H. Tanaka, and K. Nakanishi,

Phys. Rev. E., **53**, 2638-2647 (1996).32

(49) A self-consistent phase diagram for supercooled water.

H. Tanaka,

Nature, **380**, 328-330 (1996).151

(50) Effects of solute size on the local solvent density and solute solubility in infinitely dilute supercritical solutions.

X. C. Zeng, J.- W. Shen, H. Tanaka, K. Nakanishi, and H. Yuan,

Fluid Phase Equilibria, **116**, 296-303 (1996).6

(51) Molecular dynamics simulation of hydrogen bonding in monoethanolamine.

Joanne K. Button, Keith E. Gubbins, H. Tanaka, and K. Nakanishi,

Fluid Phase Equilibria, **116**, 320-325 (1996).8

(52) Molecular dynamics simulation study on the anomalous thermal conductivity of clathrate hydrates.

R. Inoue, H. Tanaka, and K. Nakanishi,

J. Chem. Phys., **104**, 9569-9577 (1996). 30

(53) Phase behaviors of supercooled water: Reconciling a critical point of amorphous ices with spinodal instability.

H. Tanaka,

J. Chem. Phys., **105**, 5099-5111 (1996).106

(54) Thermodynamic stability of hexagonal and cubic ices.

H. Tanaka and I. Okabe,

Chem. Phys. Lett., **259**, 593-598 (1996).7

(55) Molecular dynamics study of polymer-water interactions in hydrogels. 1. Hydrogen bond structure.

Y. Tamai, H. Tanaka, and K. Nakanishi,
Macromolecules, **29**, 6750-6760 (1996).74

(56) Molecular dynamics study of polymer-water interactions in hydrogels. 2. Hydrogen bond dynamics.

Y. Tamai, H. Tanaka, and K. Nakanishi,
Macromolecules, **29**, 6761-6769 (1996).56

(57) RISM integral equation study of local solvation behavior of naphthalene in supercritical carbon dioxide.

K. Koga, H. Tanaka, and X. C. Zeng,
J. Phys. Chem., **100**, 16711-16719 (1996).14

(58) Solvent-induced interactions between hydrophobic and hydrophilic polyatomic sheets in water and hypothetical nonpolar water.

K. Koga, X. C. Zeng, and H. Tanaka,
J. Chem. Phys., **106**, 9781-9792 (1997). 4

(59) Large thermal expansivity of clathrate hydrates.

H. Tanaka, Y. Tamai, and K. Koga,
J. Phys. Chem. B., **101**, 6560-6565 (1997).14

(60) Freezing of confined water: A bilayer ice phase in hydrophobic nanopores.

K. Koga, X. C. Zeng, and H. Tanaka,
Phys. Rev. Lett., **79**, 5262-5265 (1997).68

(61) Fluctuation of local order and connectivity of water molecules in two liquid phases.

H. Tanaka,
Phys. Rev. Lett., **80**, 113-116 (1998).37

(62) Cavity distribution in liquid water and hydrophobic hydration.

H. Tanaka,
Chem. Phys. Lett., **282**, 133-138 (1998).10

- (63) A novel approach to the stability of clathrate hydrate: Grandcanonical MC simulation.
H. Tanaka,
Fluid Phase Equilibria, **144**,361-368 (1998).5
- (64) Study of hydrophilic interactions between polyatomic sheets in water.
K. Koga, X. C. Zeng, and H. Tanaka,
Fluid Phase Equilibria , **144**, 377-385 (1998).0
- (65) Permeation of small penetrants in hydrogels.
Y. Tamai and H. Tanaka,
Fluid Phase Equilibria, **144**, 441-448 (1998).19
- (66) Structure and Potential Surface of Liquid Methanol in Low Temperature: A Comparison of Hydrogen Bond Network in Methanol with Water.
T. Kabeya, Y. Tamai, and H. Tanaka,
J. Phys. Chem. B., **102**, 899-905 (1998).16
- (67) Thermodynamic stability and negative thermal expansion of hexagonal and cubic ices.
H. Tanaka,
J. Chem. Phys., **108**, 4887-4893 (1998). 30
- (68) Dynamic Properties of Supercooled Water in Poly(Vinyl Alcohol) Hydrogel.
Y. Tamai and H. Tanaka,
Chem. Phys. Lett., **285**, 127-132 (1998).10
- (69) Effects of Confinement on the Phase Behavior of Supercooled Water.
K. Koga, X. C. Zeng, and H. Tanaka,
Chem. Phys. Lett., **285**, 278-283 (1998).19
- (70) Stabilization Energies and Rotational Motions in Clathrate Hydrate of Benzene Studied by Molecular Dynamics Simulations.
K. Fujii, Y. Arata, H. Tanaka, and M. Nakahara,
J. Phys. Chem. A., **102**, 2635-2640 (1998).5

(71) Effects of chain on structure and dynamics of supercooled water in Hydrogel.

Y. Tamai and H. Tanaka,

Phys. Rev. E., **59**, 5647-5654 (1999).11

(72) Structure and Dynamics of Poly(Vinyl Alcohol) Hydrogel.

Y. Tamai and H. Tanaka,

Mol. Simulation, **21**, 283-301 (1999).5

(73) Thermal expansivities of cubic ice I and ice VII.

H. Tanaka,

J. Mol. Struc., **461/462**, 561-567 (1999).2

(74) Can thin disk-like clusters be more stable than compact droplet-like clusters?

H. Tanaka, R. Yamamoto, K. Koga, and X. C. Zeng,

Chem. Phys. Lett., **304**, 378-384 (1999). 11

(75) Confined Water in Hydrophobic Nanopores: Dynamics of Freezing into Bilayer Ice.

J. Slovak, K. Koga, H. Tanaka, and X. C. Zeng,

Phys. Rev. E., **60**, 5833-5840 (1999). 16

(76) The melting temperature of proton-disordered hexagonal ice:A computer simulation of TIP4P model of water.

Guangtu Gao, X. C. Zeng, and H. Tanaka,

J. Chem. Phys., **112**, 8534-8538 (2000). 71

(77) A Molecular Dynamics Study of the Connectivity of Water Molecules in Supercooled States.

H. Tanaka,

Phys. Chem. Chem. Phys., **2**,1595-1598 (2000).0

(78) Ice nanotube: What does the unit cell look like? Unit cell structure of ice nanotubes.

K. Koga, Ruben D. Parra, H. Tanaka, X. C. Zeng,

J. Chem. Phys., **113**, 5037-5040 (2000).38

(79) First-order transition in confined water between high density liquid and low density amorphous phases.

K. Koga, H. Tanaka, X. C. Zeng,
Nature, **408**, 564-567 (2000). 102

(80) Potential Energy Surfaces of Supercooled Water: Intrabasin and Interbasin Structures Explored by Quenching, Normal Mode Excitation, and Basin Hopping.

H. Tanaka,
J. Chem. Phys., **113**, 11202-11211 (2000).6

(81) Computer simulation of water - ice transition in hydrophobic nanopores.

J. Slovak, H. Tanaka, K. Koga, X. C. Zeng,
Physica A, **292**, 87-101 (2001).3

(82) Hydrogen Bonds between Water Molecules: Thermal Expansivity of Ice and Water.

H. Tanaka,
J. Mol. Liq., **90**, 323-332 (2001).6

(83) Thermal Expansivity of Two-dimensional Ice.

Y. Koyama and H. Tanaka,
Chem. Phys. Lett., **341**, 619-624 (2001).0

(84) Formation of ordered ice nanotubes inside carbon nanotubes.

K. Koga, G. T. Gao, H. Tanaka, and X. C. Zeng,
Nature, **412**, 802-805 (2001). 295

(85) On the Debye-Waller Factor of Hexagonal Ice: A Computer Simulation Study.

H. Tanaka and Udayan Mohanty,
J. Am. Chem. Soc., **124**, 8085 - 8089 (2002).3

(86) Pressure-induced amorphization of clathrate hydrates.

H. Tanaka and Y. Amano,
Mol. Phys., **100**, 2183-2188 (2002).2

(87) How does water freeze inside carbon nanotubes?

K. Koga, G. T. Gao, H. Tanaka, and X. C. Zeng,

Physica A, **314**, 426-469 (2002). 38

(88) Computer Simulation of Bilayer ice: structures and thermodynamics.

J. Slovak, H. Tanaka, K. Koga, and X. C. Zeng,

Physica A, **319**, 163-174 (2003). 10

(89) Ab initio studies of quasi-one-dimensional pentagon and hexagon ice nanotubes.

B. Bai, R. D. Parra, X. C. Zeng, H. Tanaka, K. Koga, J.-M. Li,

J. Chem. Phys., **118**, 3913-3916 (2003). 21

(90) On the thermodynamic stability of clathrate hydrates.

H. Tanaka,

Can. J. Phys., **81**, 55-60 (2003).3

(91) Formation of Quasi Two-dimensional Bilayer Ice in Hydrophobic Slits: A Possible Candidate for Ice XIII?

B. Bai, X. C. Zeng, K. Koga, and H. Tanaka,

Mol. Simulations, **26**, 619-626 (2003). 2

(92) Metallic single-walled silicon nanotubes.

J. Bai, X. C. Zeng, H. Tanaka, and J. Y. Zeng,

Proc. Natl. Acad. Sci. USA, **101**, 2664-2668 (2004). 54

93) On the thermodynamic stability of clathrate hydrates IV: Double occupancy of cages.

H. Tanaka, T. Nakatsuka, and K. Koga,

J. Chem. Phys., **121**, 5488-5493 (2004). 19

(94) Melting points and thermal expansivities of proton-disordered hexagonal ice with several model potentials.

Y. Koyama, H. Tanaka, G. T. Gao, and X. C. Zeng,

J. Chem. Phys., **121**, 7926-7931 (2004). 39

- (95) On the thermodynamic stability and structural transition of clathrate hydrates.
Y. Koyama, H. Tanaka, and K. Koga,
J. Chem. Phys., **122**, 074503 1-7 (2005). 5
- (96) Phase diagram of water between hydrophobic surfaces.
K. Koga and H. Tanaka,
J. Chem. Phys., **122**, 104711 1-10 (2005). 30
- (97) Computer simulation study of metastable ice VII and amorphous phases obtained by its melting.
J. Slovak and H. Tanaka,
J. Chem. Phys., **122**, 204512 1-6 (2005). 7
- (98) Formation of ice nanotube with hydrophobic guests inside carbon nanotube.
H. Tanaka and K. Koga,
J. Chem. Phys., **123**, 94706 1-6 (2005). 9
- (99) Close-packed structures and phase diagram of soft spheres in cylindrical pores.
K. Koga and H. Tanaka,
J. Chem. Phys., **124**, 131103 1-4 (2006). 9
- (100) Theoretical Studies on the Structure and Dynamics of Water, Ice, and Clathrate Hydrate,
(Award Accounts).
H. Tanaka and K. Koga,
Bull. Chem. Soc. Jpn., **97**, 1621-1644 (2006). 2
- (101) Structures of filled ice nanotubes inside carbon nanotubes.
D. Takaiwa, K. Koga, H. Tanaka,
Mol. Simulat., **33**, 127-132 (2007). 5
- (102) On the thermodynamic stability of hydrogen clathrate hydrates.
K. Katsumasa, K. Koga, H. Tanaka,
J. Chem. Phys., **127**, 044509 1-7 (2007). 16
- (103) Phase equilibria and interfacial tension of fluids confined in narrow pores.
Y. Hamada, K. Koga, H. Tanaka,
J. Chem. Phys., **127**, 084908 1-9 (2007). 6

(104) Phase diagram of water in carbon nanotubes.

D. Takaiwa, I. Hatano, K. Koga, and H. Tanaka,
Proc. Natl. Acad. Sci. USA, **105**, 39-43 (2008). 14

(105) Aplanic phase of water from computer simulation.

Y. Takii, K. Koga, and H. Tanaka,
J. Chem. Phys., **128**, 204501 (8pages) (2008).3

(106) Augmented stability of hydrogen clathrate hydrates by weakly polar molecules.

T. Nakayama, K. Koga, and H. Tanaka,
J. Chem. Phys., **131**, 214506, 10 pages,(2009).1

(107) Novel neon-clathrate of cubic ice structure.

L. Hakim, K. Koga, and H. Tanaka,
Physica A., **389**,1834-1838 (2010).

(108) Phase Behavior of Different Forms of Ice Filled with Hydrogen Molecules.

L. Hakim, K. Koga, and H. Tanaka,
Phys. Rev. Lett., **104**,115701, 4 pages, (2010).